

---

# Physics-Constrained Diffusion for Lightweight Composite Material Design

---

Hangwei Qian<sup>1</sup> Yang He<sup>1</sup> Bingjin Chen<sup>2</sup> Mohit Sharma<sup>3</sup> Ivor Tsang<sup>1</sup>

<sup>1</sup>CFAR and IHPC, Agency for Science, Technology and Research (A\*STAR), 138632, Singapore

<sup>2</sup>IHPC, Agency for Science, Technology and Research (A\*STAR), 138632, Singapore

<sup>3</sup>IMRE, Agency for Science, Technology and Research (A\*STAR), 138632, Singapore

{qian\_hangwei, he\_yang, chen\_bingjin, sharmam, ivor\_tsang}@a-star.edu.sg

## Abstract

Composite materials play a pivotal role in diverse engineering applications, particularly in the development of lightweight yet high-performance structures. However, their generative design has received far less attention than that of other material classes. A major challenge is that existing generative models often push component weights toward extreme minima, sometimes even yielding negative values, which are physically impossible for material compositions. In this work, we propose a diffusion-based generative framework tailored for lightweight composites. Specifically, we introduce a physics-constrained diffusion model (PCDiff) that integrates domain-specific constraints into the denoising process, ensuring generated candidates are both high-fidelity and physically plausible. In particular, we enforce two key constraints, i.e., non-negativity and sum-to-one conditions on composite compositions, through regularization within the diffusion process. Experimental evaluations demonstrate that our approach consistently outperforms existing generative models in terms of validity, density, and coverage with respect to target physical properties. This study underscores the potential of physics-guided generative modeling for accelerating the discovery of lightweight composites.

## 1 Introduction

Artificial Intelligence (AI) is rapidly transforming scientific fields by enhancing hypothesis generation, accelerating experimental design, and uncovering insights beyond traditional trial-and-error processes [10]. Materials design has been a driving force behind technological and industrial progress, from the steel that fueled the industrial revolution to the semiconductors that power the information age [1]. The task of inverse material design seeks to identify the optimal material compositions or structures in order to achieve the specified target properties. Recently, deep generative models such as variational autoencoders (VAEs), generative adversarial networks (GANs) and diffusion models have drastically accelerated the landscape of inverse design [2, 9]. Deep generative models are capable of capturing the latent relationships between materials’ data and properties, and new material candidates can be sampled from the learned latent space.

In this work, we focus on a relatively underexplored material class — lightweight composite materials—which play a vital role in many engineering applications but have received far less attention in generative modeling compared to materials such as crystals or alloys. Composites are typically composed of matrices, fibers and varying fillers. Accurate modeling of composites’ behavior remains challenging due to the complex interplay between material composition, manufacturing processes and the respective characteristics [4]. This presents two key challenges for inverse lightweight

composite design. First, most existing generative modeling approaches have been developed for other material classes, and their architectures or representations cannot be directly adapted to capture the heterogeneous microstructures and multi-phase nature of composites. Second, composites impose unique physics constraints that are often overlooked in conventional generative frameworks. As a result, existing models may push mixture weights toward unrealistic extremes, even producing negative values that violate physical rules.

To this end, we propose a novel physics-constrained diffusion model, termed PCDiff, specifically designed for the inverse design of lightweight composite materials. PCDiff explicitly incorporates domain-specific constraints into the diffusion process. In particular, non-negativity and sum-to-one physical constraints on component proportions are enforced through regularization, ensuring that generated candidates remain physically valid while maintaining diversity. By embedding these inductive biases directly into the generative dynamics, PCDiff not only produces high-fidelity composite compositions but also aligns the generated solutions with fundamental physical laws, thereby narrowing the gap between theoretical design and real-world applicability. Empirically, we evaluate the proposed PCDiff model on an in-house composite material dataset that captures diverse composition–property relationships. Across multiple evaluation metrics, PCDiff demonstrates superior performance, consistently generating candidates with higher validity and broader coverage of the design space. These results highlight the effectiveness of integrating physics-based constraints into the diffusion process and underscore the promise of PCDiff for lightweight composites design.

## 2 Related Work

**AI-driven Composite Materials.** Composites are widely used in aerospace, automotive and construction industries, and precise engineering is required to achieve desired mechanical and thermal properties. Traditionally, the development of composites relies on experimental approaches and computational methods such as finite element analysis (FEA). In recent years, AI techniques have been increasingly integrated into the forward design process. For instance, supervised learning algorithms have been applied to predict material properties, classify material types, and perform failure analysis, and surrogate models have been constructed to approximate computationally expensive FEA simulations [4]. Beyond forward design, AI has also shown promise in inverse design. For example, the integration of deep convolutional GANs (DCGANs) with convolutional neural networks (CNNs) has been explored to accelerate the discovery of two-phase composite materials [8], demonstrating the potential of generative models to navigate large design spaces efficiently. Despite these advances, AI-driven research for composite materials remains relatively limited compared to other material classes, leaving significant opportunities for developing specialized generative models that account for their unique physical characteristics.

**Generative Models for Inverse Material Design.** Generative models are promising for inverse material design tasks by directly generating materials from the learned latent space given desired properties. Early efforts explored GAN-based and VAE-based architectures, which are shown feasible for inverse material design [8]. More recently, diffusion-based generative models have shown superior performance and flexibility for such tasks. CDVAE designs a noise conditional score network as the decoder of VAE and incorporates the physical inductive bias of crystal’s stability into consideration [11]. MatterGen is a diffusion-based model that generates stable and diverse inorganic materials with crystalline structures by gradually refining atom types, coordinates and the periodic lattice [12]. Beyond these domain-specific models, diffusion models themselves have undergone significant methodological developments that broaden their applicability. For instance, denoising diffusion probabilistic models (DDPMs) [3] further improve the noise schedules to generate more realistic outputs. For composites data, the TabDDPM [5] is more proper as TabDDPM is designed to model tabular data with vectors of heterogeneous features.

## 3 Proposed PCDiff Model

### 3.1 Problem Statement

The inverse design of lightweight composite materials can be naturally formulated as a constrained optimization problem, where the goal is to identify candidate compositions that achieve target material

properties (e.g., Yield Strength, Thermal Conductivity). Let  $\mathbf{x}_0 = [\mathbf{x}_0^1, \mathbf{x}_0^2, \dots, \mathbf{x}_0^D] \in \mathbb{R}^D$  denote the vector of proportions of the  $D$  components in a composite. The inverse design task seeks to minimize the discrepancy between predicted properties  $f(\mathbf{x}_{\text{gen}})$  and the desired target properties  $y^*$ , wherein the new material  $\mathbf{x}_{\text{gen}}$  is generated via a diffusion generative process parameterized by  $\theta$ , i.e.,

$$\begin{aligned} & \min_{\mathbf{x}_{\text{gen}} \in \mathbb{R}^D} \mathcal{L}(f(\mathbf{x}_{\text{gen}}), y^*), \\ \text{s.t. } & \mathbf{x}_{\text{gen}} \sim p_\theta(\mathbf{x}_0 | y^*), \quad p_\theta(\mathbf{x}_{0:T} | y^*) = p(\mathbf{x}_T) \prod_{t=1}^T p_\theta(\mathbf{x}_{t-1} | \mathbf{x}_t, y^*), \\ & 0 \leq \mathbf{x}_{\text{gen}}^i, \mathbf{x}_t^i \leq 1, \quad (i = 1, \dots, D), (t = 1, \dots, T), \\ & \sum_{i=1}^D \mathbf{x}_{\text{gen}}^i = 1, \sum_{i=1}^D \mathbf{x}_t^i = 1, \quad (t = 1, \dots, T), \end{aligned} \tag{1}$$

where we set the loss function  $\mathcal{L}$  to be the mean squared error (MSE) loss and the forward predictor  $f$  to be a shallow MLP. The non-negative constraint ensures that no component is assigned a negative proportion during diffusion, while the summation constraint enforces that the mixture proportions form a valid composite composition. Without these constraints, existing generative models often push component weights toward extreme minima, sometimes yielding negative values that violate fundamental physical rules. This formulation highlights the dual challenge of inverse design for composites: simultaneously maintaining physical feasibility and steering the design toward lightweight composites. In this work, we address this challenge through a diffusion-based generative model that learns to sample directly from the feasible composition space while conditioning on target properties, thereby integrating optimization and physical validity within a unified framework.

### 3.2 Physics-Constrained Diffusion for Composites

Diffusion models are likelihood-based models and handle the data through forward and reverse Markov processes. The forward process gradually adds noise to the initial sample  $\mathbf{x}_0$ , i.e.,  $q(\mathbf{x}_t | \mathbf{x}_{t-1}) = \mathcal{N}(\mathbf{x}_t; \mu_t = \sqrt{1 - \beta_t} \mathbf{x}_{t-1}, \Sigma_t = \beta_t \mathbf{I}), t = 1, \dots, T$ ,

where the variance parameter  $\beta_t$  can be fixed to a constant or chosen as a schedule of the timesteps. The reverse process is to invert the forward noising process and we want  $p(\mathbf{x}_{0:T}) = p(\mathbf{x}_T) \prod_{t=1}^T p(\mathbf{x}_{t-1} | \mathbf{x}_t)$  to gradually remove noise at each step. Since the exact reverse distributions are intractable, and a neural network parameterized by  $\theta$  is used to learn the approximation. Following the training of DDPM [3], the loss can be simplified to be a noise-prediction MSE:  $\mathcal{L}_{\text{base}}(\theta) = \mathbb{E}_{\mathbf{x}_0, \epsilon, t} [\|\epsilon - \epsilon_\theta(\mathbf{x}_t, t)\|^2]$ , where  $\mathbf{x}_t = \sqrt{\alpha_t} \mathbf{x}_0 + \sqrt{1 - \alpha_t} \epsilon$ ,  $\epsilon \sim \mathcal{N}(0, \mathbf{I})$ . Despite the advances in diffusion models, existing models cannot naturally satisfy these physical constraints as shown in Eq. (1). To this end, we seek to incorporate these physical constraints as additional regularization terms in the diffusion process, i.e.,

$$\phi_{\text{non-neg}}(\mathbf{x}_{\text{gen}}) = \sum_{i=1}^D \max(0, -\mathbf{x}_{\text{gen}}^i)^2 + \sum_{t=1}^T \sum_{i=1}^D \max(0, -\mathbf{x}_t^i)^2, \quad (\text{non-negativity regularization}) \tag{2}$$

$$\phi_{\text{sum}}(\mathbf{x}_{\text{gen}}) = \left( \sum_{i=1}^D \mathbf{x}_{\text{gen}}^i - 1 \right)^2 + \sum_{t=1}^T \left( \sum_{i=1}^D \mathbf{x}_t^i - 1 \right)^2, \quad (\text{sum-to-one regularization}) \tag{3}$$

$$\mathcal{L}_{\text{reg}}(\mathbf{x}_{\text{gen}}) = \alpha_1 \phi_{\text{non-neg}}(\mathbf{x}_{\text{gen}}) + \alpha_2 \phi_{\text{sum}}(\mathbf{x}_{\text{gen}}), \tag{4}$$

and the weighting coefficients  $\alpha_1$  and  $\alpha_2$  can control the relative importance of each regularization term. Then, the overall regularized loss expands to:  $\mathcal{L}_{\text{overall}} = \mathcal{L}_{\text{base}} + \mathcal{L}_{\text{reg}}$ . These regularizers allow the generation process to be steered toward specific directions, i.e., ensuring all outputs remain non-negative and that their components sum to one. By adjusting the weights, we can control the trade-off between adhering to the data distribution and enforcing physical constraints, leading to more meaningful and valid generated samples in composites material applications.

## 4 Experiments

**Dataset.** We have constructed a dataset for carbon composite. In our dataset of 3,400 carbon composite entries, each material is described by its composition, including the proportion of carbon fiber, epoxy, and up to four types of fillers—Carbon Nanotubes (CNTs), Graphene, Copper, and Nickel. These compositional inputs directly influence the resulting material properties. For example, adding CNTs or Graphene generally enhances the mechanical strength due to their high intrinsic stiffness, while metallic fillers like Copper and Nickel can improve thermal conductivity. The interplay between the proportions of each component determines how the composite balances strength and heat transfer, making the mapping from composition to properties a complex but physically meaningful relationship. This dataset therefore captures the fundamental connection between the materials and composite properties such as Yield Strength (MPa) and Thermal Conductivity (W/mK).

**Evaluation Metrics.** We evaluate generative models through the following aspects:

- Validity<sub>reg</sub> quantifies the proportion of generated samples that satisfy both the non-negativity and sum-to-one constraints. For this evaluation, we generate one sample conditioned on each training instance’s property values.
- Validity<sub>fab</sub> measures the proportion of generated samples that fall within the valid region for practical fabrication. In the context of composite materials, we define this valid region based on domain experts’ criteria, such as percolation limits, and use it to assess whether the generated samples are physically feasible. We fix the desired property values to be 3,500 and 1.0 for Yield Strength and Thermal Conductivity and generate 100 samples from each model for evaluation.
- Density and Coverage [5, 7]. The metrics are designed to differentiate the fidelity and diversity of the generated samples.

**Baselines and Experimental Setup.** We compare the proposed method with a conditional VAE model [6] and the state-of-the-art TabDDPM [5] model. For fair comparisons, we keep the neural networks within each model to be MLP-based, to align with our method. We split the dataset into training and testing set with ratio of 0.8 : 0.2. The number of training epochs is set to 100.

**Experimental Results.** The overall experimental results are summarized in Table 1. In terms of validity, both CVAE and our proposed PCDiff achieve 100%. However, closer inspection reveals that CVAE suffers from mode collapse, repeatedly generating identical samples, which undermines its practical utility. In contrast, the vanilla diffusion model (TabDDPM) exhibits very low validity, highlighting the necessity of incorporating physical constraints into the diffusion process. Regarding Density and Coverage, diffusion-based models consistently outperform the VAE-based model. Notably, PCDiff achieves the best performance, with Density exceeding TabDDPM by 4.3% and Coverage by 9.1%, demonstrating both higher fidelity and greater diversity in the generated composites.

Table 1: Experimental evaluations on the composite dataset. (Unit:%)

Model \ Metric	Validity <sub>reg</sub>	Validity <sub>fab</sub>	Density	Coverage
CVAE	<b>100</b>	<b>100</b>	37.5	7.8
TabDDPM	15	0	44.7	10.5
PCDiff (ours)	<b>100</b>	<b>100</b>	<b>49.0</b>	<b>19.6</b>

## 5 Conclusion

In this work, we address the relatively underexplored problem of generative modeling for lightweight composite materials by introducing PCDiff, a physics-constrained diffusion framework. By embedding domain-specific constraints, such as non-negativity and sum-to-one composition rules, directly into the diffusion process, PCDiff ensures that generated candidates are both physically valid and of high fidelity. Empirical results on composite datasets demonstrate that our approach outperforms

state-of-the-art generative baselines in terms of validity, density, and design space coverage. This study lays the groundwork for future research in integrating richer physics and domain knowledge into generative AI for material design.

## **Acknowledgements**

This research is supported by the National Research Foundation, Singapore and DSO National Laboratories under the AI Singapore Programme (AISG Award No.: AISG2-GC-2023-010, “Design Beyond What You Know”: Material-Informed Differential Generative AI (MIDGAI) for Light-Weight High-Entropy Alloys and Multi-functional Composites (Stage 1a and 1b). This research is supported by A\*STAR Career Development Fund <Project No. C243512010>.

## References

- [1] Mouyang Cheng, Chu-Liang Fu, Ryotaro Okabe, Abhijatmedhi Chotrattanapituk, Artittaya Boonkird, Nguyen Tuan Hung, and Mingda Li. Ai-driven materials design: a mini-review. *CoRR*, abs/2502.02905, 2025.
- [2] Xiao-Qi Han, Xin-De Wang, Meng-Yuan Xu, Zhen Feng, Bo-Wen Yao, Peng-Jie Guo, Ze-Feng Gao, and Zhong-Yi Lu. Ai-driven inverse design of materials: Past, present and future. *CoRR*, abs/2411.09429, 2024.
- [3] Jonathan Ho, Ajay Jain, and Pieter Abbeel. Denoising diffusion probabilistic models. In Hugo Larochelle, Marc’ Aurelio Ranzato, Raia Hadsell, Maria-Florina Balcan, and Hsuan-Tien Lin, editors, *Advances in Neural Information Processing Systems 33: Annual Conference on Neural Information Processing Systems 2020, NeurIPS 2020, December 6-12, 2020, virtual*, 2020.
- [4] Manickaraj Karuppusamy, Ramakrishnan Thirumalaisamy, Sivasubramanian Palanisamy, Sudha Nagamalai, Ehab El Sayed Massoud, and Nadir Ayrilmis. A review of machine learning applications in polymer composites: advancements, challenges, and future prospects. *Journal of Materials Chemistry A*, 2025.
- [5] Akim Kotelnikov, Dmitry Baranchuk, Ivan Rubachev, and Artem Babenko. Tabddpm: Modelling tabular data with diffusion models. In Andreas Krause, Emma Brunskill, Kyunghyun Cho, Barbara Engelhardt, Sivan Sabato, and Jonathan Scarlett, editors, *International Conference on Machine Learning, ICML 2023, 23-29 July 2023, Honolulu, Hawaii, USA*, volume 202 of *Proceedings of Machine Learning Research*, pages 17564–17579. PMLR, 2023.
- [6] Jaechang Lim, Seongok Ryu, Jin Woo Kim, and Woo Youn Kim. Molecular generative model based on conditional variational autoencoder for de novo molecular design. *Journal of cheminformatics*, 10(1):31, 2018.
- [7] Muhammad Ferjad Naeem, Seong Joon Oh, Youngjung Uh, Yunjey Choi, and Jaejun Yoo. Reliable fidelity and diversity metrics for generative models. In *Proceedings of the 37th International Conference on Machine Learning, ICML 2020, 13-18 July 2020, Virtual Event*, volume 119 of *Proceedings of Machine Learning Research*, pages 7176–7185. PMLR, 2020.
- [8] José Pablo Quesada-Molina, Hossein Mofatteh, Abdolhamid Akbarzadeh, and Stefano Mariani. Navigating beyond the training set: A deep learning framework for inverse design of architected composite materials. *Eng. Appl. Artif. Intell.*, 150:110473, 2025.
- [9] Hanchen Wang, Tianfan Fu, Yuanqi Du, Wenhao Gao, Kexin Huang, Ziming Liu, Payal Chandak, Shengchao Liu, Peter Van Katwyk, Andreea Deac, Anima Anandkumar, Karianne Bergen, Carla P. Gomes, Shirley Ho, Pushmeet Kohli, Joan Lasenby, Jure Leskovec, Tie-Yan Liu, Arjun Manrai, Debora S. Marks, Bharath Ramsundar, Le Song, Jimeng Sun, Jian Tang, Petar Velickovic, Max Welling, Linfeng Zhang, Connor W. Coley, Yoshua Bengio, and Marinka Zitnik. Scientific discovery in the age of artificial intelligence. *Nat.*, 620(7972):47–60, 2023.
- [10] Hanchen Wang, Tianfan Fu, Yuanqi Du, Wenhao Gao, Kexin Huang, Ziming Liu, Payal Chandak, Shengchao Liu, Peter Van Katwyk, Andreea Deac, et al. Scientific discovery in the age of artificial intelligence. *Nature*, 620(7972):47–60, 2023.
- [11] Tian Xie, Xiang Fu, Octavian-Eugen Ganea, Regina Barzilay, and Tommi S. Jaakkola. Crystal diffusion variational autoencoder for periodic material generation. In *The Tenth International Conference on Learning Representations, ICLR 2022, Virtual Event, April 25-29, 2022*. OpenReview.net, 2022.
- [12] Claudio Zeni, Robert Pinsler, Daniel Zügner, Andrew Fowler, Matthew Horton, Xiang Fu, Sasha Shysheya, Jonathan Crabbé, Lixin Sun, Jake Smith, Ryota Tomioka, and Tian Xie. Mattergen: a generative model for inorganic materials design. *CoRR*, abs/2312.03687, 2023.